SAFETY DATA SHEET

Page 1 of 5 **PM-276**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, 2020/878/EU Standards

SDS Revision: 1.0

		1	PRODUC [*]	T & COM!	DANVI	DEN.	TIEI	$C \Lambda T$		1				
1.1	Product Name:		ITCHELL						ION					
1.2	Chemical Name:	JH0096-02/0			- / () ()									
1.3	Synonyms:			Spray										
1.4	Trade Names:		Paul Mitchell Pet Bug Away Spray Pet Bug Away Spray											
1.5	Product Use:		or Use on Pets											
1.6	Distributor's Name:		itchell Systems											
1.7	Distributor's Address:	20705 Centr	e Pointe Parkw	ay, Santa Clari	ita, CA 913	50 USA	4							
1.8	Emergency Phone:		EC: +1 (703)					0						
1.9	Business Phone / Fax:		-0400 // +1 (66		., . (00	.,	-							
			2. HA	ZARDS II	DENTIF	ICA	TIOI	N						
2.1	Hazard Identification:	Canadian W WARNING!	accordance with HMIS and Aust CAUSES EYE : Eye Irrit. 2B	th UN Globally ralian Work He	Harmoniz ealth and S	ed star	ndards	. Inter	nded to	o comp	oly wit	h OSH	IA 29 C	FR 1910.1200.
2.2	Label Elements:	Precautionar cautiously w Continue rin	ements (H): H3 y Statements (F ith water for s sing. P332+P sists get medica	P): P280 – Wea everal minutes 317 – If skin i	ar eye protes. Remov	ection. e conta	act ler	ises, i	f pres	ent an	d eas	y to d	o.	PICTOGRAM REQUIRED
2.3	Other Warnings:		OF REACH OF											
			MOONT	011 0 1110	DEDIE	<u> </u>			A = 14					
		3. CC	MPOSITI	ON & ING	REDIE	NT II	NFC)RM						
							2111				IMITS IN	I AIR (m		1
						ACC			NOHSO	<u>, </u>		OSH		-
						pp	1111	ES-	ppm ES-	ES-		ppm	1	+
СНЕМ	CAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
JPMS	PROPRIETARY BLEND	NA	NA	NA	60-98	NA	NA	NF	NF	NF	NA	NA	NA	
00			1	T									1	T
SODI	JM LAURYL SULFATE	151-21-3 Acute Tox. 4 (o	WT1050000 ral): H302	205-788-1	≤ 2	NA	NA	NF	NF	NF	NA	NA	NA	
ВОТА	NICAL OILS MIXTURE	NA	NA	NA	≤ 2	NA	NA	NF	NF	NF	NA	NA	NA	
		124-68-5	NA .	204-709-8	1-5	(10)	NA	NF	NF	NF	(5)	NA	NA	
GLYC	ERIN		ral), Eye Dam. 1,			\sim		INI	INI	141	(5)	INA	INA	J.
		Trodic Tox. 4 (o	rai), Lyc Daill. 1,	0101020(103	p), 11002, 110	710, 1100	, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>							
			4.	FIRST AID	MEAS	SURE	ES							
4.1	First Aid:	Ingestion:	If ingested, of IMMEDIATEL unconscious	do not induce Y. If the patie person. Conta	vomiting. ent is vomit act the near	If proing, corest Poi	oduct ntinue son C	to offe	er wate Cente	er or m	nilk. N cal em	lever g ergend	jive wate cy numb	water or milk er or milk to an er. Provide an ance that was
		Eyes:	Splashes are for at least 15	minutes. If irr	itation occi	urs, con	itact a	physic	cian.		•			ukewarm water
		Skin:		ne affected are										I by a thorough sists, contact a
		Inhalation:		m to fresh air a	t once.									
4.2	Effects of Exposure:	Ingestion: Eyes:	Moderately in	wallowed, may ritating to the e							lude r	ednes	s, itchin	g, irritation and
		Skin:	watering. May be irritati some sensitiv		ne product	can cau	use al	lergic s	skin re	action	s (e.g.	, rashe	es, welts	s, dermatitis) in
				0										
		Inhalation:	None expecte	ed.										
4.3	Symptoms of Overexposure:	Overexposu		ed. nay cause redn			aterin	g. The	e prod	uct car	n caus	e aller	gic skin	reactions (e.g.,
4.3	Symptoms of Overexposure: Acute Health Effects:	Overexposur rashes, welts Moderate irr	None expecters in the eyes m	ed. nay cause redn some sensitive Symptoms of	e individua overexpos	s. ure ma	y inclu	de rec	lness,					
		Overexposur rashes, welts Moderate irr Moderate irr	None expecter in the eyes mes, dermatitis) in itation to eyes.	ed. nay cause redn some sensitive Symptoms of ear affected ar	e individua overexpos eas in som	s. ure may le sens	y inclu itive in	de red idividu	lness, als.	itching	ı, sting	jing, irr		

SAFETY DATA SHEET

Page 2 of 5 **PM-276**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, 2020/878/EU Standards

SDS Revision: 1.0

4.7 Medical Conditions Aggravated by Exposure: Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes). Pre-existing dermatitis, other skin conditions, and disorders of the target organs (eyes). PROTECTIVE EQUIPMENT EYES 5.1 Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. 5.2 Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.	1 0 0 A
target organs (eyes). FLAMMABILITY	0
5.1 Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. 5.2 Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	0
Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. 5.2 Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	
5. FIREFIGHTING MEASURES This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	1 0 0
5. FIREFIGHTING MEASURES This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	100
5. FIREFIGHTING MEASURES 5.1 Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. 5.2 Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	100
5.1 Fire & Explosion Hazards: This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. 5.2 Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	100
decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke. 5.2 Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. 5.3 Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	100
smoke. 5.2 Extinguishing Methods: CO ₂ , Halon (if permitted), Dry Chemical, Foam, as authorized. 5.3 Firefighting Procedures: As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	100
As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	100
and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen	1 0
A ACCIDENTAL DELEACE MEACUREO	
6. ACCIDENTAL RELEASE MEASURES	
Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Pers Equipment (PPE). Keep incompatible materials (e.g., organics such as oil) away from spill. For small spills (e.g., < 1 gallon (3.8 L)) or large spills (e.g., ≥ 1 gallon (3.8 L)) wear appropriate per equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spille absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in a local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm Remove any contaminated clothing and wash thoroughly before reuse. Keep spills and cleaning runoffs sewers and open bodies of water.	sonal protective d material with accordance with water and soap.
7. HANDLING & STORAGE INFORMATION	
7.1 Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product.	
The storage & Handling: Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away heat and open flames. Storage temperature ≤ 48.8 °C (≤ 120 °F).	from excessive
7.3 Special Precautions: Spilled material may present a slipping hazard if left unattended. Clean all spills promptly.	
8. EXPOSURE CONTROLS & PERSONAL PROTECTION	
8.1 Exposure Limits: ACGIH NOHSC OSHA	OTHER
ppm (mg/m³) ES-	
CHEMICAL NAME(S) TLV STEL ES-TWA STEL PEAK PEL STEL IDLI GLYCERIN (10) NA NF NF NF (5) NA NA	
8.2 Ventilation & Engineering When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation (e.g., local exhaust ventilation)	
that an eyewash station, sink or washbasin is available in case of exposure to eyes.	
8.3 Pospiratory Protection: No analist required by protection is required under typical sires materials of use or handling. If no account	
No special respiratory protection is required under typical circumstances of use or handling. If necessary use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, o applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. membe states, or Australia.	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. members states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. members states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex of rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 1 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex of rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex of rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex of rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex of rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Slightly hazy, yellow to light brown liquid	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex of rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Slightly hazy, yellow to light brown liquid 9.1 Appearance: Slightly hazy, yellow to light brown liquid Cedarwood/rosemary odor	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex of rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES Slightly hazy, yellow to light brown liquid 9.2 Odor: Cedarwood/rosemary odor NA	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Slightly hazy, yellow to light brown liquid 9.2 Odor: Cedarwood/rosemary odor 9.3 Odor Threshold: NA NA NA	
use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, of applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: Wear protective eyewear (e.g., safety glasses with side-shield) when handling large quantities (e.g., ≥ 2 gallon (3.8 L)) of this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants. 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: No special body protection is required under typical circumstances of use and handling. If necessary refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA. 9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: Slightly hazy, yellow to light brown liquid 9.2 Odor: Cedarwood/rosemary odor 9.3 Odor Threshold: NA NA NA	

SAFETY DATA SHEET

Page 3 of 5 **PM-276**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, 2020/878/EU Standards

SDS Revision: 1.0

	, ,				
		9. PHYSICAL & CHEMICAL PROPERTIES – cont'd			
9.7	Flashpoint:	NA NA			
9.8	Upper/Lower Flammability Limits:	NA			
9.9	Vapor Pressure:	NA NA			
9.10	Vapor Density:	NA NA			
9.11	Relative Density:	0.9-1.0			
9.12	Solubility:	Soluble			
9.13	Partition Coefficient (log Pow):	NA			
9.14	Autoignition Temperature:	NA			
9.15	Decomposition Temperature:	NA			
9.16	Viscosity:	NA			
9.17	Other Information:	NA			
		10. STABILITY & REACTIVITY			
10.1	Stability:	This product is stable.			
10.2	Hazardous Decomposition	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂).			
10.3	Products: Hazardous Polymerization:	Will not occur.			
10.3	Conditions to Avoid:	Open flames, sparks, and high heat.			
10.5	Incompatible Substances:	None known.			
		11. TOXICOLOGICAL INFORMATION			
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES			
11.2	Toxicity Data:	This product has not been tested on animals to obtain toxicological data. There are toxicology data for the componer of this product, which are found in the scientific literature.			
11.3	Acute Toxicity:	See Section 4.4			
11.4	Chronic Toxicity:	See Section 4.5			
11.5	Suspected Carcinogen:	No.			
11.6	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.			
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.			
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.			
ļ	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.			
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.			
11.7	Irritancy of Product:	See Section 4.2			
11.8	Biological Exposure Indices:	NE .			
11.9	Physician Recommendations:	Treat symptomatically.			
		12. ECOLOGICAL INFORMATION			
12.1	Environmental Stability:	There is no specific data available for this product.			
12.2	Effects on Plants & Animals:	There is no specific data available for this product.			
12.3	Effects on Aquatic Life:	There is no specific data available for this product.			
1					
		13. DISPOSAL CONSIDERATIONS			
13.1	Waste Disposal:	Dispose of in accordance with federal, state, and local regulations.			
13.2	Special Considerations:	NA			
		14. TRANSPORTATION INFORMATION			
	pasic description (ID Number, poe required by 49 CFR, IATA/IC	roper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive informatically and the CTDGR.			
14.1	49 CFR (GND):	NOT REGULATED			
14.2	IATA (AIR):	NOT REGULATED			
14.3	IMDG (OCN):	NOT REGULATED			
14.4	TDGR (Canadian GND):	NOT REGULATED			
14.5	ADR/RID (EU):	NOT REGULATED			
14.6	SCT (MEXICO):	NOT REGULATED			
14.7	ADGR (AUS):	NOT REGULATED			
	<u> </u>				

SAFETY DATA SHEET

Page 4 of 5 **PM-276**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, 2020/878/EU Standards

SDS Revision: 1.0

		15. REGULATORY IN	NFORMATION		
15.1	SARA Reporting Requirements:	This product does not contain any substances sul	bject to SARA Title III, Section 313 reporting requirements		
15.2	SARA TPQ:	There are no specific Threshold Planning Quantit	ies for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.			
15.4	CERCLA Reportable Quantity:	NA			
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.			
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the HPR and the SDS contains all the information required by the HPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.			
15.7	State Regulatory Information:				
15.8	Other Requirements:		wn to the State of California to cause cancer or other reproductive harm.		
		16. OTHER INFO	RMATION		
16.1	Other Information:		ontinue use immediately if irritation develops. Wear eye protection. IF minutes. Remove contact lenses, if present and easy to do. Continue If eye irritation persists, get medical help.		
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.			
16.3	Disclaimer:	government regulations must be reviewed for app Systems' knowledge, the information contained suitability or completeness is not guaranteed and The information contained herein relates only to the	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other blicability to this product. To the best of ShipMate's & John Paul Mitchell herein is reliable and accurate as of this date; however, accuracy, d no warranties of any type, either expressed or implied, are provided. The specific product(s). If this product(s) is combined with other materials, Data may be changed from time to time. Be sure to consult the latest		
16.4	Prepared for:	John Paul Mitchell Systems 20705 Centre Pointe Parkway, Santa Clarita, CA 91350 USA Tel: +1 (661) 298-0400 Fax: +1 (661) 298-0390	JOHN PAUL MITCHELL SYSTEMS		
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate ShipMate Dangerous Goods Training & Consulting		

SAFETY DATA SHEET

Page 5 of 5 **PM-276**

Prepared to OSHA, ACC, ANSI, WHSR, WHMIS, 2020/878/EU Standards

SDS Revision: 1.0

SDS Revision Date: 1/23/2024

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number			
RTECS No.	Registry of Toxic Effects of Chemical Substances Number			
EINECS No. European Inventory of Existing Commercial Chemical Substances Number				

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC National Occupational Health and Safety Commission (Australia)	
OSHA U.S. Occupational Safety and Health Administration	
PEL Permissible Exposure Limit	
STEL Short Term Exposure Limit	
TLV Threshold Limit Value	
TWA	Time Weighted Average

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
E		
F		

G				
Н				
ı				
J			9	
K				0
Х	Consult y	our supe andling d	rvisor or irections.	SOPs for



OTHER STANDARD ABBREVIATIONS:

Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:				
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition				
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source				

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABILITY
1	Slight Hazard	. =
2	Moderate Hazard	REACTIVITY
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	─ / ₹₩ >
W	Use No Water	HEALTH 🔪
ОХ	Oxidizer	SPECIAL
TREFOIL	Radioactive	PRECAUTIONS

TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals			
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TDio	Lowest dose to cause a symptom			
TCLo	Lowest concentration to cause a symptom			
TDio, LDio, & LDo or	Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TCo, LCio, & LCo				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment